

SA200 Walk Through Metal Detector

6 MULTI-ZONE WALK THROUGH

METAL DETECTOR

Optimum Performance ★

Detecting metal accuracy

range is less than 4g;

Automatic self-checking

after power on;

System working mode: IR ;

Operation way: Keypad

Detection: 6 multi-zones ★

Multi-zone detecting and

alarming provide precise

location of one or more

objects simultaneously

Traffic Counter ★

Intelligent traffic and

alarm counters that

calculate traffic flow and

resultant alarms

Alarm system set ★

Alarm time setting: 0.5~9S,

alarm volume level: 0~20

level adjustable,



★ Small LCD screen, English

menu for easy operation and

displays the current usage

environment interference in

real time, so as to re-select

the operating frequency or

re-select the installation

environment.

★ Alarming Indicator:

High-brightness LED display

multi-zone alarm indication.

Also has Green light for

passing indication and Red

light for alarming indication

★ Location calibration:

Visualize the location

calibration indication, the

system will automatically and

accurately display the current

calibration detection zone

position, which is convenient

for immediate sensitivity

adjustment.

★ Working frequency:

30 selectable working

frequency band, 100,000

historical records can be

queried


SA200

6 Multi-zone Walk Through Metal Detector

SA200 6 multi-zone walkthrough metal detector is economical multi-zone walkthrough metal detector, high recognition rate to meet high flow inspection needs; professional production, advanced technology, uniform magnetic field distribution without detection blind spots to meet the varying security requirements of schools, stadiums, government buildings, mass transit, nightclubs, prisons, airports, entertainment venues, loss prevention and special events,

Zone Indications:	6 zones
Sensitivity adjustable:	0-200
Self-Diagnostic Program	Complete and automatic
Battery Packs <i>(optional)</i>	4/8/10hours for power supply backup
Warranty	2 Years Warranty and 10 Years Parts Supply Availability
Display	LED light zones and small LCD display on head box
Electrical current:	AC100V~240V 50/60Hz
Power	15W
Work environment	-20°C~+55°C
Outer frame	2230mm (h)*820mm (w)*500mm (d)
Inner frame	2020mm (h) *700mm (w) *500mm (d)
Net Weight(unit)	55kgs
Gross Weight(unit)	65kgs
Packing size(head box)	755mm(L)*435mm(W)*255mm(H)
Packing size(door frame)	2290mm((L)*635mm(W)*210mm(H)

Optional accessories:



Metal Detector Divesting Table:

For management of personal metal belongings
Standard size: 1000(L)*236(W)*800(H)mm



Metal Detector Feet Wheels:

For easy moving without disassembly
Different model has different matched type